

Light without limit

درباره ما

ما در مجموعه خود، بروزترین و مدرن‌ترین چراغ‌ها، از جمله نورهای مگنتی، اسپات لایت ها، لاین نوری، چراغ های ریلی، چراغ های فضای بیرون و دیگر نورپردازی‌های پیشرفته را تامین می‌کنیم تا با ارائه بهترین راه‌حل‌های نورپردازی، فضای شما را به محیطی شیک و منحصر به فرد تبدیل کنیم.

این چراغ‌ها با طراحی‌های ساده و شیک، بدون ایجاد شلوغی در فضا، جلوه‌ای زیبا و هماهنگ را به محیط‌های مختلف می‌بخشند. چراغ‌های مینیمال با تأکید بر خطوط تمیز و اشکال ساده، زیبایی ذاتی فضا را به نمایش می‌گذارند و به طور همزمان حس آرامش و انسجام را ایجاد می‌کنند. استفاده از این چراغ‌ها در فضای داخلی، باعث می‌شود که دکوراسیون شما برجسته‌تر شود و زیبایی طبیعی مواد و رنگ‌ها بیشتر به چشم بیاید.
در فضاهای بیرونی نیز، چراغ‌های دکوراتیو نه تنها ایمنی و روشنایی را تامین می‌کنند، بلکه به محیط اطراف هم روحی تازه می‌بخشند. با نورپردازی مناسب، می‌توان باغ، تراس، یا ورودی‌های ساختمان را به فضایی دنج و دلنشین تبدیل کرد که هم در روز و هم در شب جذابیت خاص خود را دارد.

هدف ما ایجاد تجربه‌ای نوین از نورپردازی است که زیبایی و عملکرد را در کنار هم به شما ارائه دهد.

نور با کیفیت

COB (chip-on-board)



COB نور را به‌طور یکنواخت روی سطح پخش می‌کند. نوری که از اتصال با COB تولید می‌شود، باعث می‌شود شیء طبیعی و تمیز به نظر برسد، در حالی که اتصالات با تراشه LED تک دارای تصویر دوگانه است.

فناوری نوری پیشرفته

محصولات ما با استفاده از فناوری نوری در کلاس جهانی و پردازش در تکنیک‌های علمی و دقیق برای تضمین کیفیت نوری این سری توسعه یافته است. در نتیجه، سری این محصولات توزیع نوری دقیق و خروجی نور بالا و نور یکنواخت و نرم بدون نقطه تاریک، ناحیه تاریک و هاله می باشد.



نور هموار با حاله طبیعی

نور طبیعی



اتصالات با COB نورها را به‌طور یکنواخت و نرم پخش می‌کند، به طوری که شیء طبیعی و تمیز به نظر می‌رسد و در نتیجه احساس برجسته‌سازی قوی ایجاد می‌کند.



نور ناهموار با نقطه و ناحیه تیره

تصویر دوگانه با لبه‌های دندانه‌دار



اتصالات با تراشه LED تک که نورها را از تراشه‌های پراکنده تولید می‌کند، باعث می‌شود که شیء در مرزها محو و نامشخص به نظر برسد و در نتیجه احساس برجسته‌سازی ضعیف ایجاد می‌شود.



مرز نامشخص با تصویر سرگردان و مجازی


CRI بالا

محصولات Lumenzo عملکرد نوری را به‌طور طبیعی و کامل به محیط و محصول بازتولید می‌کنند. بازتولید یک محیط نوری با اشباع بالا و متعادل برای بوتیک‌ها و مکان‌های مهم و ارائه یک اثر نوری تصفیه‌شده که باعث می‌شود شیء با ظاهر و حسی طبیعی برجسته شود.




شاخص ارزیابی متوسط Ra

شاخص جهانی Ra برای تشخیص و تمایز میان کیفیت نوردهی منابع نوری کاربرد دارد و به ما نشان می‌دهد بازتاب این نور چه میزان از رنگ واقعی اجسام را به ما نشان می‌دهد.
هر چقدر CRI بالاتر باشد یعنی تفکیک نور بهتر انجام می‌شود. شاخص نمود رنگ CRI شاید در محیط مسکونی نادیده گرفته شود اما در مکان های تجاری بسیار اهمیت دارد و می‌تواند باعث افزایش یا کاهش خرید یک محصول شود.




CONTENTS

DOWN LIGHT SURFACE MOUNTED




LM 099-4




LM3004 S-M-L




LM069-SF



LM3004-SF SQ




LM3004-SF RD



LM116 S-M-L

CONTENTS

DOWN LIGHT RECESSED



LM3011T S-M-L



LM3066D



LM3099-M3 RD




LM2310-SMD



LM1088



LM1114



LM3096




LM3028



LM6112




LM6072



LM3112COFFECUP



LM3112 BULB




LM7112-5LAMP-3LAMP




LM3002-MINI FIX




LM3112 SPOT CONCELL



LM1120




LM3007-X-RD




LM1120-CONCELL SQ

CONTENTS

Museum Lighting



VG-8530-2540



VG-Mix20-2035

CONTENTS

GU10



12 W



9W




7W




7W - CCT Change

CONTENTS


Ultra Thin Magnetic




MS30-1-2M



MS30-SP200-100/2.4G




CONNECT MODULE




MS30-DF900-600-300JK



MS30-DR54R-JK




MS30-FD10D-JK



MS30-FD5D-JK



MS30-Audio




MS30-TL12-7 JK




MS30-TL12-FA-JK




MS30-DR54



MS30-DR54R-JK



MS30-SP1-JK




MS30-SA1-JK



MS30-PD007




MS30-HC7W-JK




MS30-FT 500-1000-1500

CONTENTS

E20 MAGNETIC




E20RT002-2M



E20ST002-2M




LD2048100W | LD2048200W




E20RT-L01 | E20RT-J01 | E20ST-L01 | E20ST-J01




LD20E00 | LD20E01 | LD20E02




E2120535 | E2120545 | E2120580



E1120106 | E1120112 | E1120118




E2120206 | E2120212



E1020300 | E1020600 | E1020900



E1020302




E2120106-A | E2120112-A



E307075RA-S

CONTENTS


TRACK LIGHT




LM 5118

CONTENTS

Pool Light LED



SS316-RGB-10W-12V Surface



SS316-Warm White-10W-12V Surface

CONTENTS

OUTDOOR



LM 111-6



LM 112-4




LM 113-4




LM 114-4




LM 115-8




LM 117 S-M-L




Spike Light - 5w
Spike Light - 12w



GR0610 - 420A
GR0610 - 680A




GR0215 - 350A



GR0225 - 2A
GR0225 - 3A




GR0258 - 500A



GR0553 - 600A
GR0553 - 900A




GR0260 - 600A



GR0546 - 350A
GR0546 - 550A
GR0546 - 800A

CONTENTS


OUTDOOR 2



LM-CD40L




LM 30248/4*2



LM-TS90



LM 10246/3W




DL0399-S-3W




DL 0397-S-3W




LM-DMR42-AP



LM-KD80W
LM-KD65W



LM 72019/14W
LM 72020/28W




LM 20123/10W




LM 72045D-M/7W

CONTENTS


OUTDOOR WALL LAMP



GR0610 - 680A



GR0215 - 350A



GR0258 - 500A



GR0610 - 680A



GR0215 - 350A



GR0258 - 500A

CONTENTS

SAMSUNG LED STRIP



2835-120P-8MM-24V



2838-240P-10MM-24V



2835-120P-8MM-220V



2835-120P-8MM-IP68


LEDVANCE LED STRIP



2835-240D-10MM-Single line

CONTENTS


LED LINE



کاتالوگ‌ها به‌گونه‌ای طراحی شده‌اند که با کلیک مستقیم بر روی هر محصول،

به صفحه اختصاصی آن در سایت هدایت شده و به مشخصات

کامل، ابعاد و قیمت دسترسی پیدا خواهید کرد.



DOWN LIGHT - SURFACE

Surface mounted lighting, perfect for every situation.




DOWN LIGHT SURFACE

Minimal surface-mounted down light are
the ideal choice for modern and simple spaces









Model No	LM099
Specification	PF:0.6 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500k
Light Efficiency	80/LM
Rated Life Hours	30000hours
Led Chip	Bridgelux Chips (COB)
Power	12W
Material	Die-casting Aluminum
Beam Angle	36°
Light Body Color	Black / White
Guarantee	3 Years






Model No	LM099
Specification	PF:0.6 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500k
Light Efficiency	80/LM
Rated Life Hours	30000hours
Led Chip	Bridgelux Chips (COB)
Power	9W
Material	Die-casting Aluminum
Beam Angle	36°
Light Body Color	Black / White
Guarantee	3 Years












Model No	LM099
Specification	PF:0.6 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500k
Light Efficiency	80/LM
Rated Life Hours	30000hours
Led Chip	Bridgelux Chips (COB)
Power	7W
Material	Die-casting Aluminum
Beam Angle	36°
Light Body Color	Black / White / Gold / Silver
Guarantee	3 Years





Model No	LM099
Specification	PF:0.6 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500k
Light Efficiency	80/LM
Rated Life Hours	30000hours
Led Chip	Bridgelux Chips (COB)
Power	5W
Material	Die-casting Aluminum
Beam Angle	36°
Light Body Color	Black / White
Guarantee	3 Years






IT’S ON

TIME TO MAKE
THE MAGIC HAPPEN





Model No	LM069-SF
Specification	PF:0.6 / IP:20 / CRI:90 / UGR<16 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500K
Light Efficiency	83/LM
Rated Life Hours	30000hours
Led Chip	BRIDGELUX CHIPS (COB)
Power	12W
Material	Die-casting Aluminum
Beam Angle	120°
Light Body Colour	Black
Guarantee	3 Years



IP 20
Ingress Protection

180-300V
Voltage


Fixed


Flicker Free






Model No	LM3004-SF RD
Specification	PF:0.6 / IP:20 / CRI:90 / UGR<16 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500K
Light Efficiency	75/LM
Rated Life Hours	30000hours
Led Chip	BRIDGELUX CHIPS COB)
Power	12W
Material	Die-casting Aluminum
Beam Angle	38°
Light Body Color	Black Inside Gray
Guarantee	3 Years










Model No	LM3004-SF SQ
Specification	PF:0.6 / IP:20 / CRI:90 / UGR<16 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500K
Light Efficiency	75/LM
Rated Life Hours	30000hours
Led Chip	BRIDGELUX CHIPS (COB)
Power	12W
Material	Die-casting Aluminum
Beam Angle	38°
Light Body Color	White-Inside Gray
Guarantee	3 Years



IP 20 Ingress Protection

180-300V Voltage

Fixed

Flicker Free






Model No	LM3213-SF
Specification	PF:0.88 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500k
Light Efficiency	80/LM
Rated Life Hours	30000hours
Led Chip	Bridgelux Chips (COB)
Power	30W
Material	Die-casting Aluminum
Beam Angle	38°
Light Body Color	Black
Guarantee	3 Years



IP20 Ingress Protection · 180-300V Voltage · Adjustable · 180° · Flicker Free



Model No	LM3213-SF
Specification	PF:0.88 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500k
Light Efficiency	80/LM
Rated Life Hours	30000hours
Led Chip	Bridgelux Chips (COB)
Power	18W
Material	Die-casting Aluminum
Beam Angle	38°
Light Body Color	Black / White
Guarantee	3 Years




IP20 Ingress Protection · 180-300V Voltage · Adjustable · 180° · Flicker Free




Model No	LM3213-SF
Specification	PF:0.88 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500k
Light Efficiency	80/LM
Rated Life Hours	30000hours
Led Chip	Bridgelux Chips (COB)
Power	12W
Material	Die-casting Aluminum
Beam Angle	38°
Light Body Color	Black / White
Guarantee	3 Years




IP20 Ingress Protection · 180-300V Voltage · Adjustable · 180° · Flicker Free









Model No	LM 116-L
Color Temperature	3500K
Led Chip	Epistar COB
Power	5W
Material	Die-casting Aluminium
Beam Angle	45°
Body Color	Black
Guarantee	2 Years





Model No	LM 116-M
Color Temperature	3500K
Led Chip	Epistar COB
Power	5W
Material	Die-casting Aluminium
Beam Angle	45°
Body Color	Black
Guarantee	2 Years




Model No	LM 116-S
Color Temperature	3500K
Led Chip	Epistar COB
Power	5W
Material	Die-casting Aluminium
Body Color	45°
Beam Angle	Black
Guarantee	2 Years








Model No	LM 211-2
Color Temperature	3500K
Led Chip	Epistar COB
Power	2*5W
Material	Die-casting Aluminium
Beam Angle	45°
Body Color	Black
Guarantee	2 Years



Model No	LM 211-1
Color Temperature	3500K
Led Chip	Epistar COB
Power	5W
Material	Die-casting Aluminium
Beam Angle	45°
Body Color	Black
Guarantee	2 Years



DOWN LIGHT - RECESSED

Recessed round spots are a versatile and sophisticated lighting solution that can elevate the ambiance of any space.




DOWN LIGHT RECESSED

Recessed Down Lights illuminate the space discreetly without drawing attention to themselves









Model No	LM3011
Specification	PF:0.88 / IP:20 / CRI:90 / UGR<12 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500K
Light Efficiency	85/LM
Rated Life Hours	30000hours
Led Chip	BRIDGELUX CHIPS (COB)
Power	24W
Material	Die-Casting Aluminum
Beam Angle	38°
Light Body Color	Out White- Inside Matt Black
Guarantee	3 Years









Model No	LM3011
Specification	PF:0.88 / IP:20 / CRI:90 / UGR<12 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500K
Light Efficiency	85/LM
Rated Life Hours	30000hours
Led Chip	BRIDGELUX CHIPS (COB)
Power	15W
Material	Die-Casting Aluminum
Beam Angle	38°
Light Body Color	Out White- Inside Matt Black
Guarantee	3 Years








Model No	LM3011
Specification	PF:0.88 / IP:20 / CRI:90 / UGR<12 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500K
Light Efficiency	85/LM
Rated Life Hours	30000hours
Led Chip	BRIDGELUX CHIPS (COB)
Power	9W
Material	Die-Casting Aluminum
Beam Angle	38°
Light Body Color	Out White- Inside Matt Black
Guarantee	3 Years







Model No	LM3011
Specification	PF:0.88 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500K
Light Efficiency	74/LM
Rated Life Hours	30000hours
Led Chip	LEDVANCE(COB)
Power	15W
Material	Die-casting Aluminum
Beam Angle	36°
Light Body Color	Black
Guarantee	3 Years








A minimalist recessed light with a rotatable internal lens for precise lighting control.





Model No	LM3688-FOCUS
Specification	PF:0.88 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500K
Light Efficiency	80/LM
Rated Life Hours	30000hours
Led Chip	LEDVANCE(COB)
Power	6 W
Material	Die-casting Aluminum
Beam Angle	10˚ / 30˚
Light Body Color	Black
Guarantee	3 Years



IP 20 Ingress Protection

-180 300V Voltage

Flicker Free

30 mm

15°

Adjustable




Extremely small in size,

designed to disappear into the ceiling..





Model No	LM1909
Specification	PF:0.88 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500K
Light Efficiency	84/LM
Rated Life Hours	30000hours
Led Chip	LEDVANCE(COB)
Power	5 W
Material	Die-casting Aluminum
Beam Angle	36°
Light Body Color	White
Guarantee	3 Years



IP 20
Ingress Protection

-180 300V
Voltage

Flicker Free


30 mm

Fixed





Model No	LM3002-MINI FIX
Specification	PF:0.88 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500K
Light Efficiency	82/LM
Rated Life Hours	30000hours
Led Chip	BRIDGELUX CHIPS (COB)
Power	10W
Material	Die-casting Aluminum
Beam Angle	38°
Light Body Color	White-Inside Black
Guarantee	3 Years



IP20 Ingress Protection

180-300V Voltage

Fixed

40mm

Flicker Free





Model No	LM3099-M3 RD
Specification	PF:0.88 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500K
Light Efficiency	70/LM
Rated Life Hours	30000hours
Led Chip	BRIDGELUX CHIPS (COB)
Power	12W
Material	Die-Casting Aluminum
Beam Angle	38°
Light Body Color	White-Inside Black
Guarantee	3 Years



H:87


D:85







Model No	LM3331-360 - Movable
Specification	PF:0.88 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500K
Light Efficiency	84/LM
Rated Life Hours	30000hours
Led Chip	LEDVANCE(COB)
Power	12W
Material	Die-casting Aluminum
Beam Angle	36°
Light Body Color	White
Guarantee	3 Years










Model No	LM3331-360 - Movable
Specification	PF:0.88 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500K
Light Efficiency	84/LM
Rated Life Hours	30000hours
Led Chip	LEDVANCE(COB)
Power	12W
Material	Die-casting Aluminum
Beam Angle	36°
Light Body Color	Black
Guarantee	3 Years



IP 20 Ingress Protection

180-300V Voltage

Flicker Free

75mm


15°


Adjustable





Model No	LM1114
Specification	PF:0.88 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500k
Light Efficiency	80/LM
Rated Life Hours	30000hours
Led Chip	BRIDGELUX CHIPS (COB)
Power	9W
Material	Die-Casting Aluminum
Beam Angle	120°
Light Body Color	Black / White
Guarantee	3 Years











Model No	LM3066D
Specification	PF:0.88 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500K
Light Efficiency	74/LM
Rated Life Hours	30000hours
Led Chip	LEDVANCE(COB)
Power	10W
Material	Die-casting Aluminum
Beam Angle	36°
Light Body Color	Transparent Frame / White Frame
Guarantee	3 Years

85

48



IP 20 Ingress Protection

180-300V Voltage

Flicker Free

75mm

Fixed

IP54


Name-LM6072
Power:8W
CCT:3500K
DC:85-265V
Dec-2024
Power By Ledvance







52

65

Model No	LM6072-7W
Specification	PF:0.88 / IP:54 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500K
Light Efficiency	80/LM
Rated Life Hours	30000hours
Led Chip	LEDVANCE(COB)
Power	7W
Material	Die-casting Aluminum
Beam Angle	36°
Light Body Color	White
Guarantee	3 Years







56

85


Model No	LM6072-9W
Specification	PF:0.88 / IP:54 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500K
Light Efficiency	80/LM
Rated Life Hours	30000hours
Led Chip	LEDVANCE(COB)
Power	9W
Material	Die-casting Aluminum
Beam Angle	36°
Light Body Color	White
Guarantee	3 Years








Model No	LM3096
Specification	PF:0.88 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500K
Light Efficiency	75/LM
Rated Life Hours	30000hours
Led Chip	LEDVANCE(COB)
Power	10W
Material	Die-casting Aluminum
Beam Angle	36°
Light Body Color	White
Guarantee	3 Years














Model No	LM1008
Specification	PF:0.88 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500K
Light Efficiency	85/LM
Rated Life Hours	30000hours
Led Chip	LEDVANCE(COB)
Power	7 W
Material	Die-casting Aluminum
Beam Angle	38°
Light Body Color	White
Guarantee	3 Years















Model No	LM6112
Specification	PF:0.88 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500K
Light Efficiency	100/LM
Rated Life Hours	30000hours
Led Chip	LEDVANCE(COB)
Power	16W
Material	Die-casting Aluminum
Beam Angle	36°
Light Body Color	White / Black / Gold
Guarantee	3 Years








Retractable recessed LED spot








Model No	LM3028D
Specification	PF:0.88 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500K
Light Efficiency	83/LM
Rated Life Hours	30000hours
Led Chip	LEDVANCE(COB)
Power	12W
Material	Die-casting Aluminum
Beam Angle	36°
Light Body Color	White
Guarantee	3 Years










Model No	LM3037
Specification	PF:0.88 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500K
Light Efficiency	85/LM
Rated Life Hours	30000hours
Led Chip	LEDVANCE(COB)
Power	40W
Material	Die-casting Aluminum
Beam Angle	36°
Light Body Color	White
Guarantee	3 Years










Model No	LM3112 SPOT CONCELL
Specification	PF:0.88 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500K
Light Efficiency	85/LM
Rated Life Hours	30000Hours
Led Chip	BRIDGELUX CHIPS (COB)
Power	12W
Material	Die-Casting Aluminum
Beam Angle	24°
Light Body Color	Base Black- Body White- Inside Black
Guarantee	3 Years










Model No	LM3112 Bulb
Specification	PF:0.88 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500K
Light Efficiency	65/LM
Rated Life Hours	30000hours
Led Chip	BRIDGELUX CHIPS (COB)
Power	10W
Material	Die-Casting Aluminum
Beam Angle	50°
Light Body Color	White
Guarantee	3 Years











Model No	LM3112 Coffe Cup
Specification	PF:0.88 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500K
Light Efficiency	65/LM
Rated Life Hours	30000hours
Led Chip	BRIDGELUX CHIPS (COB)
Power	10W
Material	Die-Casting Aluminum
Beam Angle	15°
Light Body Color	White
Guarantee	3 Years














Model No	LM1120-CONCELL SQ
Specification	PF:0.88 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500k
Light Efficiency	73/LM
Rated Life Hours	30000Hours
Led Chip	BRIDGELUX CHIPS (SMD)
Power	12W
Material	Die-Casting Aluminum
Beam Angle	120°
Light Body Color	Out White Inside Matt Black
Guarantee	3 Years








Model No	LM1120-CONCELL SQ
Specification	PF:0.88 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500k
Light Efficiency	73/LM
Rated Life Hours	30000Hours
Led Chip	BRIDGELUX CHIPS (SMD)
Power	7W
Material	Die-Casting Aluminum
Beam Angle	120°
Light Body Color	Out White Inside Matt Black
Guarantee	3 Years












Model No	LM1120CONCELL SQ
Specification	PF:0.88 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500k
Light Efficiency	73/LM
Rated Life Hours	30000Hours
Led Chip	BRIDGELUX CHIPS (SMD)
Power	2*12W
Material	Die-Casting Aluminum
Beam Angle	120°
Light Body Color	Out White Inside Matt Black
Guarantee	3 Years








Model No	LM1120-CONCELL SQ
Specification	PF:0.88 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500k
Light Efficiency	73/LM
Rated Life Hours	30000Hours
Led Chip	BRIDGELUX CHIPS (SMD)
Power	2*7W
Material	Die-Casting Aluminum
Beam Angle	120°
Light Body Color	Out White Inside Matt Black
Guarantee	3 Years











Model No	LM3007-X-RD
Specification	PF:0.88 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500K
Light Efficiency	85/LM
Rated Life Hours	30000hours
Led Chip	BRIDGELUX CHIPS (COB)
Power	2*12W
Material	Die-Casting Aluminum
Beam Angle	38°
Light Body Color	White / Black
Guarantee	3 Years












Model No	LM1088
Specification	PF:0.88 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500k
Light Efficiency	50/LM
Rated Life Hours	30000hours
Led Chip	BRIDGELUX CHIPS (COB)
Power	12W
Material	Die-casting Aluminum
Beam Angle	120°
Light Body Color	Full White
Guarantee	3 Years












H:46


D:135

Model No	LM2310-SMD
Specification	PF:0.88 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500K
Light Efficiency	80/LM
Rated Life Hours	30000hours
Led Chip	BRIDGELUX CHIPS (SMD)
Power	22W
Material	Die-Casting Aluminum
Beam Angle	120°
Light Body Color	White-Inside Black
Guarantee	3 Years



Ingress Protection | Voltage | Fixed | 125mm | Flicker Free






H:42

D:83

Model No	LM2310-SMD
Specification	PF:0.88 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500K
Light Efficiency	80/LM
Rated Life Hours	30000hours
Led Chip	BRIDGELUX CHIPS (SMD)
Power	9W
Material	Die-Casting Aluminum
Beam Angle	120°
Light Body Colour	White-Inside Black
Guarantee	3 Years




Ingress Protection | Voltage | Fixed | 75mm | Flicker Free





Model No	LM1128-3LAMP
Specification	PF:0.88 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500K
Light Efficiency	85/LM
Rated Life Hours	30000hours
Led Chip	LEDVANCE(COB)
Power	12W
Material	Die-casting Aluminum
Beam Angle	80° * 80°
Light Body Color	Black Inside Gun Gray
Guarantee	3 Years










Model No	LM1128-7LAMP
Specification	PF:0.88 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500K
Light Efficiency	84/LM
Rated Life Hours	30000hours
Led Chip	LEDVANCE(COB)
Power	32W
Material	Die-casting Aluminum
Beam Angle	80° * 80°
Light Body Color	Black Inside Gun Gray
Guarantee	3 Years



IP 20 Ingress Protection

180-300V Voltage


Flicker Free

280*40mm

Fixed








Model No	LM7112-5LAMP
Specification	PF:0.88 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500k
Light Efficiency	75/LM
Rated Life Hours	30000hours
Led Chip	BRIDGELUX CHIPS (SMD)
Power	13.5W
Material	Die-casting Aluminum
Beam Angle	36°
Light Body Color	White-Inside Black
Guarantee	3 Years




Ingress Protection | Voltage | Fixed | 150x32mm | Flicker Free





Model No	LM7112-3LAMP
Specification	PF:0.88 / IP:20 / CRI:90 / UGR<19 / SCDM:<3 / INPUT:180-300V
Color Temperature	3500k
Light Efficiency	75/LM
Rated Life Hours	30000hours
Led Chip	BRIDGELUX CHIPS (SMD)
Power	8W
Material	Die-casting Aluminum
Beam Angle	36°
Light Body Color	White-Inside Black
Guarantee	3 Years



Ingress Protection | Voltage | Fixed | 90x32mm | Flicker Free

MUSEUM LIGHTING

Design to highlight artworks and exhibits


Museum light designed to
reveal details without distracting from the artwork.







Model No	VG-MAIX20-2035
Specification	CRI: 95 / AC 220 - 240V / 50 - 60 HZ / 2,4 BLE
Color Temperature	2700 - 5700K / CCT Change / Dimmable
Rated Life Hours	30000hours
Led Chip	Citizen
Power	15W
Material	Aluminum
Beam Angle	20° - 35°
Light Body Color	Black
Guarantee	3 Years










Model No	VG-8530-2540
Specification	CRI : 95 / AC 220 - 240V / 50 - 60 HZ / 2,4 BLE
Color Temperature	2700 - 5700K / CCT Change / Dimmable
Rated Life Hours	30000hours
Led Chip	Citizen
Power	30W
Material	Aluminum
Beam Angle	20° - 35°
Light Body Color	Black
Guarantee	3 Years





Remote control

IP20 Ingress Protection

220-240V Voltage

Flicker Free


360°

Adjustable



Adjustable framing beam

- Soft-edge rectangula beam
- Soft-edge circular beam
- Hard-edge rectangular beam
- Hard-edge rectangular beam
- Shapeable beam
- CCT change



ULTRATHIN MAGNETIC

Elevate your interior with our exclusive lighting collection




MAGNETIC


Ultra thin surface mounted magnetic track lamp





Model No	MS30-1M / MS30-2M
Color	Black
Specification	① Pc body 1pcs ② iron bracket 1pcs ③ copper conductors 2pcs ④ plastic end caps 2pcs







CONNECT MODULE




Model No	Straight Connect Module
Color	Black
Beam Angle	PVC&Copper
Specification	Insert the copper pin of the module in the track under the copper bar




Model No	L Connect Module
Color	Black
Beam Angle	PVC&Copper
Specification	Insert the copper pin of the module in the track under the copper bar



Model No	T Connect Module
Color	Black
Beam Angle	PVC&Copper
Specification	Insert the copper pin of the module in the track under the copper bar



Model No	Cross Connect Module
Color	Black
Beam Angle	PVC&Copper
Specification	Insert the copper pin of the module in the track under the copper bar




Model No	In&Out Connect Module
Color	Black
Beam Angle	PVC&Copper
Specification	Insert the copper pin of the module in the track under the copper bar












Model No	MS30-SP200/2.4G
Installation	Screw the junction box on the wall&fix the driver on the track and connect it
Color	Black
Led Chip	200W 2.4G
Material	Aluminum & PC & Copper
Guarantee	3 Years



Model No	MS30-SP100/2.4G
Installation	Screw the junction box on the wall&fix the driver on the track and connect it
Color	Black
Led Chip	100W 2.4G
Material	Aluminum & PC & Copper
Guarantee	3 Years




Magnetic lights with track systems

offer complete freedom to move and adjust lighting angles.






Model No	MS30-TL7-JK
Material	PC + Aluminum
Color	Black
Beam angle	24°
Power	7W
Specification	Dimmable ●2700⇆●6000 CRI >90
LED Chip	PSC COB Bridgelux
Guarantee	3 Years





Model No	MS30-TL12-JK
Material	PC + Aluminum
Color	Black
Beam angle	24°
Power	12W
Specification	Dimmable ●2700⇆●6000 CRI >90
LED Chip	PSC COB Bridgelux
Guarantee	3 Years













Model No	MS30-TL20-JK
Material	PC + Aluminum
Color	Black
Beam angle	24°
Power	20W
Specification	Dimmable ●2700⇆●6000 CRI >90
LED Chip	PSC COB Bridgelux
Guarantee	3 Years



Φ 55



Model No	MS30-TL30-JK
Material	PC + Aluminum
Color	Black
Beam angle	24°
Power	30W
Specification	Dimmable ●2700⇆●6000 CRI >90
LED Chip	PSC COB Bridgelux
Guarantee	3 Years



Φ 65



Ingress Protection | Voltage | Flicker Free | 90° | Adjustable







Adjustable Beam Angle


With adjustable brightness, transform the mood of any environment.








Model No	MS30-TL12-FA-JK
Material	PC + Aluminum
Color	Black
Beam angle	Adjustable
Power	12W
Specification	Dimmable ●2700⇆●6000 CRI >90
LED Chip	PSC COB Bridgelux
Guarantee	3 Years






Lumenzo
Input Voltage:DC48V
Lumenzo





H:75

D:54

Model No	MS30-DR54
Material	Pc+Aluminum
Body Color	Black
Beam Angle	24°
Power	7W
Specificatio	Dimmable ●2700K~●6000K CRI>90
LED Chip	PSC COB Bridgelux
Guarantee	3 Years



H:75

D:54

Model No	MS30-DR54
Material	Pc+Aluminum
Body Color	Red
Beam Angle	24°
Power	7W
Specificatio	Dimmable ●2700K~●6000K CRI>90
LED Chip	PSC COB Bridgelux
Guarantee	3 Years



H:75

D:54

Model No	MS30-DR54
Material	Pc+Aluminum
Body Color	Yellow
Beam Angle	24°
Power	7W
Specificatio	Dimmable ●2700K~●6000K CRI>90
LED Chip	PSC COB Bridgelux
Guarantee	3 Years












Model No	MS30-DR54R-JK
Material	Pc+Aluminum
Body Color	Black
Beam Angle	24°
Power	7W
Specification	Dimmable ●2700↹●6000 CRI>90
LED Chip	PSC COB Bridgelux
Guarantee	3 Years










Model No	MS30-SA1-JK
Material	Pc+Aluminum
Body Color	Black
Beam Angle	160°
Power	4W
Specification	Dimmable ●2700⇆●6000 CRI >90
LED Chip	PSC COB Bridgelux
Guarantee	3 Years












Model No	MS30-SP1-JK
Material	Pc+Aluminum
Body Color	Black
Beam Angle	30°
Power	6W
Specification	Dimmable ●2700K-●6000 CRI >90
LED Chip	PSC COB Bridgelux
Guarantee	3 Years




IP20 Ingress Protection

DC 48V Voltage


Flicker Free

Fixed





Model No	MS30-DF900-JK
Color	Black
Beam Angle	105°
Power	36W
Specification	Dimmable ●2700⇆●6000 CRI >80
LED Chip	Bridgelux
Guarantee	3 Years



Model No	MS30-DF600-JK
Color	Black
Beam Angle	105°
Power	24W
Specification	Dimmable ●2700⇆●6000 CRI >80
LED Chip	Bridgelux
Guarantee	3 Years




Model No	MS30-DF300-JK
Color	Black
Beam Angle	105°
Power	12W
Specification	Dimmable ●2700⇆●6000 CRI >80
LED Chip	Bridgelux
Guarantee	3 Years







Model No	MS30-LB24-JK
Material	PC + Aluminum
Color	Black
Beam angle	30°
Power	10W
Specification	Dimmable ●2700⇆●6000 CRI >90
LED Chip	Lightning 3030
Guarantee	3 Years



IP20 Ingress Protection


DC 48V Voltage

Flicker Free


Fixed









Model No	MS30-FT 1500
Color	Black+White
Beam Angle	160°
Power	30W
Material	Aluminum+Silica Gel
Led Chip	BRIDGELUX CHIPS (COB)
Specification	Dimmable ●2700K~●6000K CRI >90
Guarantee	3 Years



Model No	MS30-FT 1000
Color	Black+White
Beam Angle	160°
Power	20W
Material	Aluminum+Silica Gel
Led Chip	BRIDGELUX CHIPS (COB)
Specification	Dimmable ●2700K~●6000K CRI >90
Guarantee	3 Years




Model No	MS30-FT 500
Color	Black+White
Beam Angle	160°
Power	10W
Material	Aluminum+Silica Gel
Led Chip	BRIDGELUX CHIPS (COB)
Specification	Dimmable ●2700K~●6000K CRI >90
Guarantee	3 Years







Model No	MS30-PD007
Color	Black
Beam Angle	240°
Power	7W
Specification	Dimmable ●2700K~●6000 CRI >90
LED Chip	PSC COB Bridgelux
Guarantee	3 Years








ADJUSTED

the light angle, color, and intensity to your preference at any moment..





Model No	MS30-FD10D-JK
Material	PC + Aluminum
Color	Black
Beam angle	30°
Power	20W
Specification	Dimmable ●2700⇆●6000 CRI >90
LED Chip	Bridgelux 2835
Guarantee	3 Years










Model No	MS30-FD5D-JK
Material	PC + Aluminum
Color	Black
Beam angle	30°
Power	10W
Specification	Dimmable ●2700⇆●6000 CRI >90
LED Chip	Bridgelux 2835
Guarantee	3 Years









Model No	MS30-HC7W-JK
Material	PC + Aluminum
Color	Black
Beam angle	24°
Power	7W
Specification	Dimmable ●2700⇆●6000 CRI >90
LED Chip	Bridgelux 2835
Guarantee	3 Years



IP 20 Ingress Protection


DC 48V Voltage

Flicker Free




TRACK BLUETOOTH SPEAKER

The material and structure of the full frequency unit can reduce the low frequency distortion more effectively.
This is true even at higher volumes.





Model No	MS30-Audio
Material	PC + Aluminum
Color	Black
Power	10W
Specification	10 Meters Accessibility | 12DB | Bluetooth Version : 5.4
Guarantee	3 Years



Φ 60

IP 20
Ingress Protection

DC 48V
Voltage

E20 MAGNETIC


Lighting can illuminate art and
be the work of art itself.


E20 MAGNETIC

Lighting can illuminate art and
be the work of art itself.



27








RECESSED

Model No	E20RT002-2M
Material	Die-casting Aluminum
Color	Black
Specification	MG-Track Recessed



IP 20
Ingress Protection


DC 48V
Voltage





SURFACE MOUNTED / PENDENT

Model No	E20ST002-2M
Material	Die-casting Aluminum
Color	Black
Specification	MG-Track Surface



IP 20
Ingress Protection

DC 48V
Voltage





E20RT-L01



Recessed Connection


Model No	E20RT-L01
Material	Die-casting Aluminum
Color	Black
Specification	Track Recessed Plane Connection



E20RT-J01



Model No	E20RT-J01
Material	Die-casting Aluminum
Color	Black
Specification	Track Recessed Plane Connection




E20ST-L01



Surface Connection

Model No	E20ST-L01
Material	Die-casting Aluminum
Color	Black
Specification	Track Surface Plane Connection



E20ST-J01



Model No	E20ST-J01
Material	Die-casting Aluminum
Color	Black
Specification	Track Surface Plane Connection



Connection accessories





LD20E00



Track Connection


Model No	LD20E00
Material	Die-casting Aluminum
Color	Black
Specification	Track Connection



LD20E01



Model No	LD20E01
Material	Die-casting Aluminum
Color	Black
Specification	Track Connection



LD20E02



Model No	LD20E02
Material	Die-casting Aluminum
Color	Black
Specification	Track Connection








Connection accessory

Model No	E20ST-C01
Material	Die-casting Aluminum
Color	Black
Specification	Surface Conection Accessories






E20END01



Connection accessory

Model No	E20END01
Material	Die-casting Aluminum
Color	Black
Specification	Closer Ends (Surface)





E20M02-END



Connection accessory

Model No	E20END01
Material	Die-casting Aluminum
Color	Black
Specification	Closer Ends (Surface)





Driver

Model No	LD2048100W
Material	PC
Color	Black
Power	100W
Specification	DRIVER * 100W	220-240V



Model No	LD2048200W
Material	PC
Color	Black
Power	200W
Specification	DRIVER * 200W	220-240V



Reccessed Power



Model No	Concealed installation 42V-200W Power Supply
Material	PC + Aluminum
Color	Black
Power	200W
Specification	220V ac DC42V DC Output | Current : 4.8A



Model No	2.4 G Controller 200W
Material	PC + Aluminum
Color	Black
Power	200W
Specification	DC42 V 200W



Model No	MS30 Concealed installation Adapter
Material	PC + Copper
Color	Black
Power	-
Specification	With 30 cm Wire Full



Lamps can be moved at will


It can be used with any combination to meet the lighting needs of different scenes.


Lumenzo





Model No	E2120106-A
Material	Die-casting Aluminum
Color	Black
Beam angle	40°
Power	6W
Specification	3000K CRI>90
LED Chip	Osram LED
Guarantee	3 Years











Model No	E2120112-A
Material	Die-casting Aluminum
Color	Black
Beam angle	40°
Power	12W
Specification	3000K CRI>90
LED Chip	Osram LED
Guarantee	3 Years











Model No	E1120106
Material	Die-casting Aluminum
Color	Black
Beam angle	40°
Power	6W
Specification	3000K CRI>90
LED Chip	Osram LED
Guarantee	3 Years










Model No	E1120112
Material	Die-casting Aluminum
Color	Black
Beam angle	40°
Power	12W
Specification	3000K CRI>90
LED Chip	Osram LED
Guarantee	3 Years



IP 20 Ingress Protection

DC 48V Voltage


Flicker Free

Fixed





Model No	E1120118
Material	Die-casting Aluminum
Color	Black
Beam angle	40°
Power	18W
Specification	3000K CRI>90
LED Chip	Osram LED
Guarantee	3 Years



IP 20 Ingress Protection

DC 48V Voltage

Flicker Free

Fixed


Folding Lamp







Model No	E2120206
Material	Die-casting Aluminum
Color	Black
Beam angle	24°
Power	6W
Specification	3000K CRI>90
LED Chip	Osram LED
Guarantee	3 Years






Ingress Protection | Voltage | Flicker Free | 180° | Adjustable





Model No	E2120212
Material	Die-casting Aluminum
Color	Black
Beam angle	24°
Power	12W
Specification	3000K CRI>90
LED Chip	Osram LED
Guarantee	3 Years





E20 magnetic track light

48V safety voltage
Lamps can be moved at will


Strong magnetic suction, safety lock design, fast disassemble







Model No	E2120535
Material	Die-casting Aluminum
Color	Black
Beam angle	24°
Power	7W
Specification	3000K CRI>90
LED Chip	Osram LED
Guarantee	3 Years










Model No	E2120545
Material	Die-casting Aluminum
Color	Black
Beam angle	24°
Power	12W
Specification	3000K CRI >90
LED Chip	Osram LED
Guarantee	3 Years










Model No	E2120580
Material	Die-casting Aluminum
Color	Black
Beam angle	24°
Power	24W
Specification	3000K CRI>90
LED Chip	Osram LED
Guarantee	3 Years










Model No	E1020300
Material	Die-casting Aluminum
Color	Black
Beam angle	100°
Power	10W
Specification	3000K CRI>90
LED Chip	Bridgelux
Guarantee	3 Years



IP 20 Ingress Protection

DC 48V Voltage


Flicker Free

Fixed





Model No	E1020600
Material	Die-casting Aluminum
Color	Black
Beam angle	100°
Power	20W
Specification	3000K CRI>90
LED Chip	Bridgelux
Guarantee	3 Years



IP 20 Ingress Protection

DC 48V Voltage


Flicker Free

Fixed





Model No	E1020900
Material	Die-casting Aluminum
Color	Black
Beam angle	100°
Power	30W
Specification	3000K CRI>90
LED Chip	Bridgelux
Guarantee	3 Years



IP 20 Ingress Protection

DC 48V Voltage


Flicker Free


Fixed





Model No	E1020302
Material	Die-casting Aluminum
Color	Black
Beam angle	100
Power	20W
Specification	3000K CRI>90
LED Chip	San an
Guarantee	3 Years









Model No	E307075RA-S
Material	Die-casting Aluminum
Color	Black
Beam angle	24°
Power	6W
Specification	3000K CRI>90
LED Chip	CREE
Guarantee	3 Years



IP 20 Ingress Protection

DC 48V Voltage

Flicker Free

TRACK LIGHT


Applicable in every space


XX
XXX
XX
VNTY





Model No	LM5118
Material	Die-casting Aluminum
Color	Black
Beam angle	38°
Power	30W
Specification	3000K CRI>92
LED Chip	LEDVANCE
Guarantee	3 Years





LED LINE

Soft, high quality illumination





LED LINE

چراغ های خطی یا LED Line به طور کلی به سه دسته تقسیم می شوند:


۱.چراغ های خطی توکار:


این چراغ ها مستلزم برش سقف با بدنه می باشند و به صورت توکار نصب می شوند که از سایز 1.5 تا 12 سانتیمتر موجود می باشند.







چیدمان مختلف لاین های نوری توکار























۲.چراغ های خطی روکار:

این چراغ ها نیازی به برش ندارند و به صورت روکار پیچ می شوند که از سایز 1.5 تا 12 سانتیمتر موجود می باشند.







۳.چراغ های خطی آویز:

این چراغ ها جهت سقف های بلند و یا مکان هایی که نیاز به یک المان دارند(کانتر، جزیره و ...)مورد استفاده قرار می گیرد که از سایز 3 تا 15 سانتیمتر موجود می باشند و ارتفاع آن با توجه به مکان مورد نظر قابل تنظیم است.



LED lines fit well in minimalistic spaces...



اجزای تشکیل دهنده چراغ های خطی

به طور کلی چراغ های خطی از سه قسمت تشکیل شده است.

1.پروفیل که در واقع بدنه چراغ را شامل می شود که در ابعاد و رنگ های متفاوت موجود است و قیمت آن بسته به سایز و وزن آن متغییر است.
Strip.2 یا نواری که در واقع لامپ چراغ خطی می باشد و وظیفه تامین روشنایی دارد که در انواع مختلف از نظر تراکم و ولتاژ می باشد که به طور معمول یا 220V مستقیم است یا 12-24V DC می باشد یا با درایور قابل روشن شدن است نوار ما بسته به مکان نصب میتوانند IP20/IP65/IP67/IP68باشند.
3.دفیوزر که وظیفه صاف کردن نور را دارد، این قطعه هم انواع مختلفی دارد که بسته به کیفیت قیمت های متفاوتی دارد.









GU10 LAMP

Quick, simple and safe replacement without rewiring.

GU10 lamp

Quick, simple and safe replacement without rewiring.
Design, dimensions, luminous flux comparable to
an incandescent or halogen lamp







Model No	LM GU10
Material	PA + Aluminum
Color	White
Color Temperature	CCT Change (3000K - 4000K - 6500K - Auto)
Power	7W
Voltage	AC85-265V
Specification	Seprated Driver / IC No Flicker / CRI+80
Guarantee	3 Years







Model No	LM GU10
Material	PA + Aluminum
Color	White
Color Temperature	3000K | 4000K
Power	9W
Voltage	AC220-240V
Specification	Dimmable / CRI+80
Guarantee	3 Years







Model No	LM GU10
Material	PA + Aluminum
Color	White
Color Temperature	3000K | 4000K
Power	7W
Voltage	AC/DC12V
Specification	DOB / CRI+80
Guarantee	3 Years








Model No	LM GU10
Material	PA + Aluminum
Color	White
Color Temperature	4000K
Power	12W
Voltage	AC85-265V
Specification	Seprated Driver / IC No Flicker / CRI+80
Guarantee	3 Years





تهران اقدسیه موحد دانش پلاک 55 ساختمان امرالد طبقه منفی یک

021 2637 1900

شیراز محلاتی جنوبی نبش کوچه 4 ساختمان ساینا شرکت ساینا

0917 500 7585

Lumenzo.modernlight

www.lumenzolighting.com

lumenzolighting@gmail.com